

Synthetic Turf Multi Groomer

2022

**A Multi Purpose,
Adjustable,
Easy to Use
Machine That Makes
Your Job Easier!**

Multi Groomer MG72

**Stands up Turf Fibers
Redistributes Infill Material
Rejuvenates Synthetic Turf
Magnet Removes Debris**

Synthetic Turf
MG72

Shown Below is "Standard Equipment" When You Order the MG72 Groomer.
Plus You Choose the Electric Lift System That's Best for You!



**Do You Know What's
In Your Turf?**

72" wide Magnet on
MG72 Multi Groomer

Optional Rear Magnet.
Includes aluminum and
stainless steel construction.
Strongest magnets on the
market! Removes ferrous
metal objects from turf.

5 Electric Lift Systems to Choose From

We Offer the Most Complete Line of
"Operator Lift Control Systems" on the Market!

99% of Assembly
completed at the factory!

Customer chooses the "Operator Lift Control System"
that's best for them. See following pages for complete details.


Spring Tine Adjustment System

Heavy Duty
Steel Welded
Frame.

Premium Powder
Coated Finish

Broom Carriage.
Compact, High Performance, and Adjustable.
Exclusive Engineering. Does not hop!
Synthetic Mildew Resistant Bristles.
Brushes are Easy to Replace.

Numerous Optional Attachments Available.



Tongue & Chained Hitch Pin

Two Rows of
Independently
adjustable
Spring Tines.

No-Air, No-Flat Wheels.

Helping Those Who Help Others Play!

Heying Company

Heying Company Alton, Iowa 51003
Ph. 712.756.8847 Fax 712.756.8849 www.HeyingCompany.com Made in USA

Copyright Heying Enterprises. Patent Pending

- Stands up matted down Fibers while it Combs & Grooms Turf.
- Relieves Compaction & Redistributes Infill to prolong turf life and provide safest playing surface for athletes.
- Optional Rear Magnet removes ferrous metal objects (such as track spikes, football cleats, bobby pins, safety pins, nails, etc.).
- Exclusive "High Performance-Compact Broom Carriage" unmatched performance. And our broom "Doesn't Hop" !!
- Broom includes 6 individual brushes housed in a our exclusive carriage.
- Synthetic bristles are designed for turf, resist wear and will not rot.
- Brushes can be easily rotated and replaced when needed.
- Two Rows of Spring Tines are completely adjustable so you can decide how much contact (if any) you want with the turf.
- Powder Coated finish
- Pull with a variety of towing machines
- No tools needed to adjust engineering
- Easy to Use - Affordable - Saves Labor

The Multi Groomer is a versatile 72" wide tongue towed maintenance machine for use on Synthetic and Natural Turf. Implements include two rows of staggered + adjustable spring tines (front) followed by our exclusive high performance broom carriage. Numerous optional attachments also available.

We Make Turf Look Good!



Did You Know...Infill Can Fly!
Of course you did. You've seen it on TV. You will also see "infill in motion" when grooming synthetic turf with the MG72 Multi Groomer.



Periodic maintenance of Synthetic Turf requires a grooming machine that will stand up turf fibers while also redistributing infill. This grooming makes the turf feel softer, provides the optimal athletic playing surface, and prolongs turf life.



Rear Magnet being used to remove ferrous metal objects.

Multi Groomer MG72 on Synthetic Turf Football Field.
Groomer positioned on white out of bounds area to demonstrate Infill Redistribution.

MG72 Multi Groomer Standard Equipment: Tongue and Hitch Combo, Two Rows of Independently Adjustable Spring Tines, Welded Frame with No-Air, No-Flat Wheels (never need air) and the High Performance 6-Brush Broom Carriage. You choose from 4 Model Numbers when choosing a Multi Groomer. Each model number represents a specific "Operator Lift Control System" and they all include the same "standard equipment". See Catalog & "Factory Direct Pricing".

Brushes Easy to Rotate & Replace. Broom carriage is designed with 6 individual brushes and two end caps. Remove one end cap (2 bolts) all 6 brushes can be pulled out and rotated to prolong their life (like rotating tires on a car). Rotate or replace all 6 brushes in less than 10 minutes. No other turf groomer on the market has this type of design.



Optional Rear Magnet. Removes debris. Strongest magnets on the market!



MGMT-7200 Magnet



What's Hiding in Your Turf?

Ferrous metal objects such as track spikes, bobby pins, safety pins, nails, and other objects create hidden dangers to athletes and degrade synthetic turf. The MG72 Multi Groomer removes this debris while grooming.

Strongest Magnet on the Market!

Optional Rear Magnet. 72" wide. Aluminum and stainless steel housing for Neodymium Rare Earth Magnets. Strongest available. Also includes adjustable height anti scalp turf wheels. Removes ferrous debris from Turf while grooming.

When you're comparing turf groomers be sure to ask what type of magnets are used. For example:

Other machines use less expensive ceramic magnets. Our neodymium magnets are 10 times stronger than ceramic !

MGBC-7200



Additional Broom Carriage for Front. Some customers want to replace the front spring tines with a broom carriage - essentially double the brushing action.



Yes, it's possible. You can remove the two rows of tines from the front of the frame and install a second broom carriage in it's place. This option comes complete with a full high performance broom carriage (same as the rear carriage), 6 brushes, and all necessary brackets and hardware.

If you want two Broom Carriages and no Spring Tines then we sell a machine built to those specs. **See our BR72 Brush Groomers if you know for sure you don't want the spring tines.**

Machine Options-Accessories

MGRM-7200		MGDM-8436		
<h3>Rubber Mat</h3> <p>Useful when pulverizing aeration cores and may be preferred by some when incorporating heavy top dressing. 72" wide x 24" deep. Easily connects to rear of frame with quick pins. Easy to remove when not needed.</p>  <p>Multi-purpose. Heavy duty. Unique ribbed design helps pulverize cores and move top dressing material. Also useful when grooming artificial turf. Welded frame.</p>		<h3>Drag Mat with Rack</h3> <p>For those who prefer a steel drag mat. 84" wide (covers wheel tracks). Easily connects to rear of frame with quick pins. Includes specially designed welded rack with locks and hardware.</p> <p>84" wide x 36" deep steel drag mat is fitted to a special tube at the front edge to fit inside carrier rack. Easy to attach and remove without tools.</p> <p>Exclusive drag mat rack is welded construction. Holds, carries and pulls drag mat. Locks flip up and down - makes it easy to attach and remove mat.</p> 		
MGCP-1875 (1-7/8")	ALWP-1212	AL-E-098	ALSB-1212	ALPW-1212
<h3>MGCP-2000 (2")</h3> <h3>Ball Coupler Hitch</h3> <p>1-7/8" or 2" Coupler sizes available. Easily mounts to end of tongue.</p> 	<h3>Additional "HW" wiring pkg.</h3> <p>When you order a "HW" machine it ships with a complete wiring package to wire one tow machine and the groomer. If you wish to wire an additional tow machine to operate the groomer you can order this option. It includes all necessary wiring to wire one additional tow machine to accept the connection from the groomer.</p> 	<h3>Additional "WR" or "PW" Transmitter</h3> <p>For customers who want an extra transmitter on hand.</p> <p>We stock Transmitters</p> 	<h3>"SB" Switch Box Control System</h3> <p>For "WR", "PW" and "HW" lift systems this "SB" can be used as a backup system. For example, the "HW" system is "hard-wired" to one specific towing machine. In this case you may wish to have a backup operator system in case the towing machine that is wired for the groomer is not functional. This option also useful as a backup for the "WR" or "PW" systems in the case of a dead battery, lost transmitter, etc.</p> 	<h3>"PW" Portable Wireless Backup Control System</h3> <p>Consider the portable "PW" operator system as a backup for "WR", "SB" or "HW" systems. If any problem arises with your original operating system (broken wire, misplaced transmitter, dead groomer battery, etc.) this alternate "backup" system can bypass the original operating system (except cylinder) and operate the groomer. Uses temporary clamps to attach to your tow machine 12v battery. Offers peace of mind that a backup control system is on hand if ever needed. Complete pkg.</p> 

See following pages for details all of the "Operator Lift Control Systems".

We offer the Most Complete Line of Operator Lift Control Systems on the Market!

Warranty (in a nutshell): Heying Company machines carry the following warranty on parts and workmanship, to be free of defects, under normal and intended use and service conditions, of:

Three (3) years parts and workmanship on Heying Company manufactured parts.

One (1) Year on parts not manufactured by Heying Company, including but not limited to:

Wheels, brushes, electrical cylinder (actuator), electric system parts, wireless remote control systems, switches, batteries, chargers, etc.

Excluded is this warranty is Normal Wear and Tear on Parts resulting from natural and intended use.

(Note: Warranty above is a partial writing - for a complete warranty please inquire. If you discover a better warranty on similar equipment we would like to see it).

5 Electric Lift Systems & How They Work

<p>12v Battery Included</p> <p>Wireless</p> <p>WR₂₂</p> <p>Complete 12 Volt Electric System On-Board Groomer</p> <p>Includes 12 Volt Battery, 2.0 amp Battery Charger and Battery Monitor</p> <p>Includes all-in-one Emergency Rocker Switch & Cord 11.5 ft. long</p> <p>Does not use Tow Machine Battery.</p> <p>12 Volt Battery On Groomer</p>	<p>Battery On Groomer Model No. PR72-WR.</p> <p>Wireless Remote Control. 12V Battery and Elec System On-Board the Groomer.</p> <p>No wires to attach to your Tow Machine. 12 Volt battery, wireless transmitter & receiver system, 2.0 amp battery charger, and battery monitor. Great choice for ease of use, convenience, and all day use. Includes emergency 11.5 ft. long all-in-one Rocker Switch & Cord (use as emergency / temporary backup control).</p> <p><i>Note: SG system also has a 12v battery on board the groomer.</i></p>
<p>12v Battery Included</p> <p>Corded SwitchBox</p> <p>Powered by 12v Battery On Groomer</p> <p>SG₂₂</p> <p>Does not use Tow Machine Battery.</p> <p>12 Volt Battery On Groomer</p> <p>4 Way Groomer Tongue Wire & Power Harness provides power from battery to switchbox and back to electric cylinder.</p> <p>12 ft. Wire</p> <p>5 ft. Wire</p> <p>Groomer Tongue Wire</p> <p>SwitchBox</p>	<p>Battery On Groomer Model No. PR72-SG. New in 2022</p> <p>Corded SwitchBox Control. 12V Battery On-Board Groomer. Does not use 12v battery of your Tow Machine. Corded system. Weather sealed SwitchBox. 2 Extension Wires to work for all tow machines. Groomer tongue wire connects to extension wire at rear of tow machine. Good choice for all day use. <i>Note: WR is the only other system that has a 12 volt battery on-board the groomer.</i></p> <p><i>Can also be used as a backup operating system.</i></p>
<p>No 12 Volt Battery.</p> <p>Battery Case is included.</p> <p>Store Electric System Parts in Battery Compartment.</p> <p>Corded SwitchBox</p> <p>Powered by Tow Machine Battery</p> <p>SB₁₉</p> <p>Does not use Tow Machine Battery.</p> <p>12 ft. Ext. Wire</p> <p>5 ft. Ext. Wire</p> <p>Groomer Tongue Wire</p> <p>Portable Power Harness</p> <p>Tow Machine Battery</p>	<p>Uses Battery of Tow Machine Model No. PR72-SB. Corded SwitchBox. Uses Tow Machine 12v Battery. Corded system with Weather sealed SwitchBox. Power Harness connects to tow machine battery with portable alligator clamps. Includes 2 Extension Wires to work for all tow machines. Groomer tongue wire connects to extension wire at rear of tow machine.</p> <p><i>Can also be used as a backup operating system.</i></p>
<p>No 12 Volt Battery.</p> <p>Portable Wireless</p> <p>PW₂₂</p> <p>Includes all-in-one Emergency Rocker Switch & Cord 11.5 ft. long</p> <p>Portable Power Harness</p> <p>Groomer Tongue Wire</p> <p>Tow Machine Battery</p>	<p>Uses Battery of Tow Machine Model No. PR72-PW. "Portable" Wireless</p> <p>Remote Control. Uses Tow Machine 12v Battery. Same wireless control system as the "WR". Power Harness connects to tow machine battery with portable alligator clamps. Power supplied to wireless receiver on groomer through groomer tongue wire connected at rear of tow machine. Includes emergency 11.5 ft. long all-in-one Rocker Switch & Cord (use as emergency / temporary backup control).</p> <p><i>Can also be used as a backup operating system.</i></p>
<p>No 12 Volt Battery.</p> <p>Battery Case is included.</p> <p>Store Tools, etc. in Battery compartment.</p> <p>Hard-Wired</p> <p>Rocker Switch Installed in Dash of Tow Machine</p> <p>HW₂₁</p> <p>Power Harness</p> <p>Groomer Tongue Wire</p> <p>Tow Machine Wire</p> <p>Tow Machine Battery</p>	<p>Uses Battery of Tow Machine Model No. PR72-HW. Hard-Wired into your tow machine. Uses Tow Machine 12v Battery. Dash-Mounted Rocker Switch to control the electric lift. You dedicate a specific tow machine to be wired. Includes all wiring, switch, connectors, etc. for one tow machine. Want to use other tow machines when needed? Order optional partial wiring system to wire another tow machine or order an optional backup system.</p> <p><i>Note: your tow machine must have a knock-out switch location available on the dash for rocker switch or cut your own opening.</i></p>

